

Subscribe (Full Service) Register (Limited Service, Free) Login

The ACM Digital Library C The Guide

HTTP SOAP firewall agent

DESCRIPTION OF THE PERSON OF T

THE ACM DICITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used HTTP SOAP firewall agent

Found 2,084 of 161,645

Sort results

Display

relevance by

Save results to a Binder ? Search Tips

Try an Advanced Search Try this search in The ACM Guide

expanded form Open results in a new results window

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

next

Results 1 - 20 of 200 Best 200 shown

Relevance scale

Ubiquitous WWW: Profiles for the situated web Lalitha Suryanarayana, Johan Hjelm

May 2002 Proceedings of the 11th international conference on World Wide Web

Full text available: R pdf(263.89 KB) Additional Information: full citation, abstract, references, index terms

The World Wide Web is evolving into a medium that will soon make it possible for conceiving and implementing situation-aware services. A situation-aware or situated web application is one that renders the user with an experience (content, interaction and presentation) that is so tailored to his/her current situation. This requires the facts and opinions regarding the context to be communicated to the server by means of a profile, which is then applied against the description of the application o ...

Keywords: CC/PP, XML, profiles, situated-aware applications, vocabulary, web architecture

2 Session 2: secure Web services: Designing a distributed access control processor for network services on the Web



Reiner Kraft

November 2002 Proceedings of the 2002 ACM workshop on XML security

Full text available: pdf(301.14 KB) Additional Information: full citation, abstract, references, index terms

The service oriented architecture (SOA) is gaining more momentum with the advent of network services on the Web. A programmable and machine accessible Web is the vision of many, and might represent a step towards the semantic Web. However, security is a crucial requirement for the serious usage and adoption of the Web services technology. This paper enumerates design goals for an access control model for Web services. It then introduces an abstract general model for Web services components, along ...

Keywords: Web services, XML, access control, security

Access control for mobile agents: The calculus of boxed ambients Michele Bugliesi, Giuseppe Castagna, Silvia Crafa

January 2004 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 26 Issue 1

Additional Information: full citation, abstract, references, index terms Full text available: pdf(430.05 KB)

Boxed Ambients are a variant of Mobile Ambients that result from dropping the open capability and introducing new primitives for ambient communication. The new model of communication is faithful to the principles of distribution and location-awareness of Mobile Ambients, and complements the constructs in and out for mobility with finer-grained mechanisms for ambient interaction. We introduce the new calculus, study the impact of the new mechanisms for communication of typing and mobility, ...

Keywords: Ambient calculi, access control systems, mobile computation, type safety, type systems

4	Security in mobile agent system: problems and approaches
	Yang Kun, Guo Xin, Liu Dayou

Yang Kun, Guo Xin, Liu Dayou

January 2000 ACM SIGOPS Operating Systems Review, Volume 34 Issue 1

Full text available: pdf(554.66 KB) Additional Information: full citation, abstract, references, citings

Despite its many practical benefits, mobile agent technology results in significant new security threats from both malicious agents and hosts. This paper investigates the problems and approaches of mobile agent system, which shows that bi-directional and layered security model may be a good idea to resolve the security problems in mobile agent systems. Other topics about mobile agent security, such as constrained execution and virus detection, are also discussed.

Keywords: bi-directional security mechanism, layered security mechanism, mobile agents, security

5 Secure and mobile networking

Vipul Gupta, Gabriel Montenegro

December 1998 Mobile Networks and Applications, Volume 3 Issue 4

Full text available: pdf(223.39 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

The IETF Mobile IP protocol is a significant step towards enabling nomadic Internet users. It allows a mobile node to maintain and use the same IP address even as it changes its point of attachment to the Internet. Mobility implies higher security risks than static operation. Portable devices may be stolen or their traffic may, at times, pass through links with questionable security characteristics. Most commercial organizations use some combination of source-filtering routers, sophisticate ...

6 Improving Network Operations With Intelligent Agents

Nathan J. Muller

July 1997 International Journal of Network Management, Volume 7 Issue 3

Full text available: pdf(314.75 KB) Additional Information: full citation, abstract, index terms

Automating network and system management tasks has never been easier, since the advent of intelligent agents. This article describes the uses and advantages of intelligent agents, to identify and resolve problems locally, instead of dispatching technicians to remote locations, which is both expensive and time‐ consuming. © 1997 John Wiley & Sons, Ltd.

7 A public-key based secure mobile IP

John Zao, Joshua Gahm, Gregory Troxel, Matthew Condell, Pam Helinek, Nina Yuan, Isidro Castineyra, Stephen Kent

October 1999 Wireless Networks, Volume 5 Issue 5

Full text available:

Additional Information:

pdf(255.65 KB)

full citation, references, citings, index terms

8 Research papers: information security and risk management: Classification of malicious host threats in mobile agent computing Elmarie Bierman, Elsabe Cloete September 2002 Proceedings of the 2002 annual research conference of the South African institute of computer scientists and information technologists on Enablement through technology SAICSIT '02 Full text available: 🔁 pdf(160.29 KB) Additional Information: full citation, abstract, references, index terms Full-scale adoption of mobile agent technology in untrustworthy network environments, such as the Internet, has been delayed by several security complexities [Montanari, 2001]. Presently, there is a large array of security issues and sub-issues within mobile agent computing that makes it tough to distinguish between different types of problems, and therefore also interfere with the definition of suitable solutions. Literature addressing the full range of problems is limited and mostly discusses ... Keywords: computer networks, malicious hosts, mobile agents, security, threats classification 9 Astrolabe: A robust and scalable technology for distributed system monitoring, management, and data mining Robbert Van Renesse, Kenneth P. Birman, Werner Vogels May 2003 ACM Transactions on Computer Systems (TOCS), Volume 21 Issue 2 Additional Information: full citation, abstract, references, citings, index Full text available: pdf(341.62 KB) terms Scalable management and self-organizational capabilities are emerging as central requirements for a generation of large-scale, highly dynamic, distributed applications. We have developed an entirely new distributed information management system called Astrolabe. Astrolabe collects large-scale system state, permitting rapid updates and providing on-the-fly attribute aggregation. This latter capability permits an application to locate a resource, and also offers a scalable way to track sys ... Keywords: Aggregation, epidemic protocols, failure detection, gossip, membership, publish-subscribe, scalability 10 A public-key based secure mobile IP John Zao, Stephen Kent, Joshua Gahm, Gregory Troxel, Matthew Condell, Pam Helinek, Nina Yuan, Isidro Castineyra September 1997 Proceedings of the 3rd annual ACM/IEEE international conference on Mobile computing and networking Full text available: pdf(1.95 MB) Additional Information: full citation, references, citings 11 Verifiable distributed oblivious transfer and mobile agent security Sheng Zhong, Yang Richard Yang September 2003 Proceedings of the 2003 joint workshop on Foundations of mobile computing Full text available: pdf(344.93 KB) Additional Information: full citation, abstract, references, index terms

The mobile agent is a fundamental building block of the mobile computing paradigm. In

mobile agent security, oblivious transfer (OT) from a trusted party can be used to protect the agent's privacy and the hosts' privacy. In this paper, we introduce a new cryptographic primitive called *Verifiable Distributed Oblivious Transfer (VDOT)*, which allows us to replace a single trusted party with a group of threshold trusted servers. The design of VDOT uses two novel techniques, *consistency ver* ...

Keywords: oblivious transfer, resiliency to corruptions, secure mobile agents and mobile code, verifiable secret sharing

12 <u>Security model for a multi-agent marketplace</u> Ashutosh Jaiswal, Yongdae Kim, Maria Gini September 2003 Proceedings of the 5th international conference on Electronic commerce ICEC '03	
Full text available: pdf(258.32 KB) Additional Information: full citation, abstract, references, index terms	
A multi-agent marketplace, MAGNET (Multi AGent Negotiation Testbed), is a promising solution to conduct online combinatorial auctions. The trust model of MAGNET is somewhat different from other on-line auction systems: the mediated marketplace is a partially-trusted third party. In this paper, we identify the security vulnerabilities of MAGNET and present a solution that overcomes these weaknesses. Our solution makes use of three different existing technologies with other standard cryptographic	
Keywords: electronic auctions, multi-agent systems, security	
13 Wireless and mobility: Evaluation of two security schemes for mobile agents	
Igor Sobrado April 2001 ACM SIGCOMM Computer Communication Review, Volume 31 Issue 2 supplement	
Full text available: pdf(2.10 MB) Additional Information: full citation, abstract, references, index terms	
In this article, we submit and compare two different but complementary approaches to the problem of protecting mobile agents in untrusted computing environments. The first alternative, a technique for protection of mobile agents built upon an asymmetric cryptographic system resistant to conventional cryptoanalysis techniques, is based on the application of one-time keys. The second solution, geared towards computing environments supporting public-key cryptographic systems, permits	
Keywords : assurance, code protection, cryptography, data protection, information recovery, integrity of information, keys exchange, mobile agents, secure distributed systems	
14 Agent design patterns: elements of agent application design Yariv Aridor, Danny B. Lange May 1998 Proceedings of the second international conference on Autonomous agents	
Full text available: pdf(887.09 KB) Additional Information: full citation, references, citings, index terms	
Keywords: agent application, agent design pattern, mobile agent, reuse	
15 Innovation, management & strategy: Simulating the establishment of trust	

infrastructures in multi-agent systems

Wiebe K. Wiechers, Semir Daskapan, Willem G. Vree

March 2004 Proceedings of the 6th international conference on Electronic commerce ICEC '04

Full text available: pdf(311.16 KB) Additional Information: full citation, abstract, references, index terms

In this paper we present and simulate a new approach for creating trusted infrastructures within multi agent systems. This bootstrapping protocol initializes a disordered space by turning it into an organized, redundant hierarchical structure, headed by elected security distribution centers with a pool of successors in case of a failure. A simulation was creates of the establishment of this hierarchy to judge both the resulting structure and the process of creation in a varying environment. Netw ...

Keywords: secure autonomous voting, security, self-organization, trust management

16 A Service Scheduler in a Trustworthy System

Yinong Chen

April 2004 Proceedings of the 37th annual symposium on Simulation

Full text available: pdf(278.85 KB) Additional Information: full citation, abstract

The aim of the research is to investigate techniques thatsupport efficient service scheduling algorithms in aservice-oriented fault-tolerant real-time distributed system. Techniques we developed include deadline- basedreal-time scheduling, priority-based scheduling, andredundant resource allocation for fault-tolerance. The system model and scheduling algorithms are designed, and a prototype is implemented to facilitate the investigation and experimentation.

Keywords: Scheduling algorithm, resource allocation, distributed system, fault-tolerant system

17 Mesmerize: an open framework for enterprise security management

Daniel Bradley, Audun Josana

January 2004 Proceedings of the second workshop on Australasian information security, Data Mining and Web Intelligence, and Software Internationalisation - Volume 32 CRPIT '04

Full text available: Additional Information: full citation, abstract, references

We have identified five problems that inhibit effective enterprise security management - policy divide, lack of reproducibility, lack of consistency, lack of coverage and lack of flexibility in current management systems. We discuss these problems and suggest features an enterprise security management framework should have to address them. Mesmerize is an enterprise security management framework that allows holistic enterprise security policy to be interpreted into technology specific *directiv* ...

Keywords: enterprise security management, expert system, network security, policy

18 Operating systems security: Attestation-based policy enforcement for remote access Reiner Sailer, Trent Jaeger, Xiaolan Zhang, Leendert van Doorn

October 2004 Proceedings of the 11th ACM conference on Computer and communications security

Full text available: pdf(261.52 KB) Additional Information: full citation, abstract, references, index terms

Intranet access has become an essential function for corporate users. At the same time, corporation's security administrators have little ability to control access to corporate data once it is released to remote clients. At present, no confidentiality or integrity guarantees about the remote access clients are made, so it is possible that an attacker may have

compromised a client process and is now downloading or modifying corporate data. Even though we have corporate-wide access control over ...

Keywords: remote access, security management, trusted computing

19	Engineering mobile-agent applications via context-dependent coordination Giacomo Cabri, Letizia Leonardi, Franco Zambonelli July 2001 Proceedings of the 23rd International Conference on Software Engineering	_					
	Full text available: pdf(173.80 KB) Additional Information: full citation, abstract, references, citings, index terms						
	Mobility introduces peculiar coordination problems in agent-based Internet applications. First, it suggests the exploitation of an infrastructure based on a multiplicity of local interaction spaces. Second, it may require coordination activities to be adapted both to the characteristics of the execution environment where they occur and to the needs of the application to which the coordinating agents belong. This paper introduces the concept of context-dependent coordination based on progra						
20	Mobile agent security with the IPEditor development tool and the mobile UNITY language Yasuyuki Tahara, Akihiko Ohsuga, Shinichi Honiden						
	May 2001 Proceedings of the fifth international conference on Autonomous agents						

Many people consider that security is one of the biggest problems for practical use of mobile agents that move around the network and do their tasks. In this paper, we assert that this issue can be effectively managed by using IPEditor, the development support tool of mobile multi-agent applications that we have been released, and Mobile UNITY, a formal specification language of mobile agent applications. IPEditor helps developers to design applications with visual supports of agent behav ...

Full text available: pdf(152.43 KB) Additional Information: full citation, abstract, references, index terms

Results 1 - 20 of 200

Result page: **1** 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((soap)<in>metadata)"

Your search matched 172 of 1239820 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☑ e-mail

>>

View: 1-25 | 26-5

» Search Options

View Session History

New Search

» Key

IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEE CNF

IEEE Conference Proceeding

IEE Conference

Proceeding

IEEE STD IEEE Standard

Modify Search

((soap)<in>metadata)

Check to search only within this results set

Display Format:

Citation Citation & Abstract

Select Article Information

1. SOAP-binQ: high-performance SOAP with continuous quality manageme

Balasubramanian Seshasayee; Schwan, K.; Widener, P.;

Distributed Computing Systems, 2004. Proceedings. 24th International Confere

2004 Page(s):158 - 165

Digital Object Identifier 10.1109/ICDCS.2004.1281579

AbstractPlus | Full Text: PDF(540 KB) IEEE CNF

2. A differential-analysis approach for improving SOAP processing perform

Takeuchi, Y.; Okamoto, T.; Yokoyama, K.; Matsuda, S.;

e-Technology, e-Commerce and e-Service, 2005. EEE '05. Proceedings. The 2

International Conference on

29 March-1 April 2005 Page(s):472 - 479 Digital Object Identifier 10.1109/EEE.2005.5

AbstractPlus | Full Text: PDF(128 KB) | IEEE CNF

3. A comparative study of DCOM and SOAP

Davis, A.; Du Zhang;

Multimedia Software Engineering, 2002. Proceedings. Fourth International Syn

11-13 Dec. 2002 Page(s):48 - 55

Digital Object Identifier 10.1109/MMSE.2002.1181595

AbstractPlus | Full Text: PDF(1055 KB) IEEE CNF

4. Differential serialization for optimized SOAP performance

Abu-Ghazaleh, N.; Lewis, M.J.; Govindaraju, M.;

High performance Distributed Computing, 2004. Proceedings. 13th IEEE Interr

Symposium on

4-6 June 2004 Page(s):55 - 64

Digital Object Identifier 10.1109/HPDC.2004.1323489

AbstractPlus | Full Text: PDF(687 KB) | IEEE CNF

5. Latency performance of SOAP implementations

Davis, D.; Parashar, M.;

Cluster Computing and the Grid 2nd IEEE/ACM International Symposium CCC

21-24 May 2002 Page(s):377 - 382

Digital Object Identifier 10.1109/CCGRID.2002.1017169

AbstractPlus | Full Text: PDF(421 KB) | IEEE CNF

	6. Fault tolerant Web service Deron Liang; Chen-Liang Fang; Chyouhwa Chen; Fengyi Lin; Software Engineering Conference, 2003. Tenth Asia-Pacific 2003 Page(s):310 - 319 Digital Object Identifier 10.1109/APSEC.2003.1254385
	AbstractPlus Full Text: PDF(374 KB) IEEE CNF
	7. Investigating the limits of SOAP performance for scientific computing Chiu, K.; Govindaraju, M.; Bramley, R.; High Performance Distributed Computing, 2002. HPDC-11 2002. Proceedings. International Symposium on 23-26 July 2002 Page(s):246 - 254 Digital Object Identifier 10.1109/HPDC.2002.1029924 AbstractPlus Full Text: PDF(300 KB) IEEE CNF
	8. Toward characterizing the performance of SOAP toolkits Govindaraju, M.; Slominski, A.; Chiu, K.; Liu, P.; van Engelen, R.; Lewis, M.J.; Grid Computing, 2004. Proceedings. Fifth IEEE/ACM International Workshop c 8 Nov. 2004 Page(s):365 - 372 Digital Object Identifier 10.1109/GRID.2004.60 AbstractPlus Full Text: PDF(224 KB) IEEE CNF
	 Real-time rendering of soap bubbles taking into account light interference lwasaki, K.; Matsuzawa, K.; Nishita, T.; Computer Graphics International, 2004. Proceedings 2004 Page(s):344 - 348 Digital Object Identifier 10.1109/CGI.2004.1309231 AbstractPlus Full Text: PDF(1362 KB) IEEE CNF
	10. Compressing SOAP messages by using differential encoding Werner, C.; Buschmann, C.; Web Services, 2004. Proceedings. IEEE International Conference on 6-9 July 2004 Page(s):540 - 547 Digital Object Identifier 10.1109/ICWS.2004.1314780 AbstractPlus Full Text: PDF(323 KB) IEEE CNF
	11. LYE: a high-performance caching SOAP implementation Andresen, D.; Sexton, D.; Devaram, K.; Ranganath, V.P.; Parallel Processing, 2004. ICPP 2004. International Conference on 2004 Page(s):143 - 150 vol.1 Digital Object Identifier 10.1109/ICPP.2004.1327914 AbstractPlus Full Text: PDF(320 KB) IEEE CNF
S. S	12. Remote data access scheme supports for wireless access to an online te using SOAP technology Chu-Chun Liu; Yuan-Deng Chuang; Telecommunications, 2003. ICT 2003. 10th International Conference on Volume 2, 23 Feb1 March 2003 Page(s):1717 - 1722 vol.2 Digital Object Identifier 10.1109/ICTEL.2003.1191691 AbstractPlus Full Text: PDF(404 KB) IEEE CNF
, .	13. Performance of SOAP in Web Service environment compared to CORBA Elfwing, R.; Paulsson, U.; Lundberg, L.; Software Engineering Conference, 2002. Ninth Asia-Pacific 4-6 Dec. 2002 Page(s):84 - 93 Digital Object Identifier 10.1109/APSEC.2002.1182978 AbstractPlus Full Text: PDF(341 KB) IEEE CNF

14. Soap bubbles. 1

Glassner, A.;

Computer Graphics and Applications, IEEE

Volume 20, Issue 5, Sept.-Oct. 2000 Page(s):76 - 84

Digital Object Identifier 10.1109/38.865884

AbstractPlus | Full Text: PDF(272 KB) | IEEE JNL

15. Multimedia flow transmission policies for collaborative platform based or

Hantz, F.; Henriet, J.;

Distributed Frameworks for Multimedia Applications, 2005. DFMA '05. First International Conference on the Conference of the Conference of

Conference on

6-9 Feb. 2005 Page(s):32 - 38

Digital Object Identifier 10.1109/DFMA.2005.39

AbstractPlus | Full Text: PDF(504 KB) | IEEE CNF

16. SOAP cleans up interoperability problems on the Web

Jepsen, T.;

IT Professional

Volume 3, Issue 1, Jan.-Feb. 2001 Page(s):52 - 55

Digital Object Identifier 10.1109/6294.939937

AbstractPlus | Full Text: PDF(196 KB) | IEEE JNL

17. Space system visualization and analysis using the Satellite Orbit Analysi (SOAP)

Stodden, D.Y.; Galasso, G.D.;

Aerospace Applications Conference, 1995. Proceedings., 1995 IEEE

Issue 0, Part 1, 4-11 Feb. 1995 Page(s):369 - 387 vol.1

Digital Object Identifier 10.1109/AERO.1995.468892

AbstractPlus | Full Text: PDF(948 KB) | IEEE CNF

18. Teams for tomorrow [groupware]

Johansen, R.;

System Sciences, 1991. Proceedings of the Twenty-Fourth Annual Hawaii Inte Conference on

Volume iii, 8-11 Jan. 1991 Page(s):521 - 534 vol.3

Digital Object Identifier 10.1109/HICSS.1991.184183

AbstractPlus | Full Text: PDF(1056 KB) IEEE CNF

19. A nested invocation suppression mechanism for active replicated SOAP

Chen-Liang Fang; Deron Liang; Fengyi Lin;

Software Engineering Conference, 2004. 11th Asia-Pacific

30 Nov.-3 Dec. 2004 Page(s):392 - 399

Digital Object Identifier 10.1109/APSEC.2004.5

AbstractPlus | Full Text: PDF(296 KB) | IEEE CNF

20. A redundant nested invocation suppression mechanism for active replicatolerant Web service

Chen-Liang Fang; Deron Liang; Chyouhwa Chen; PuSan Lin;

e-Technology, e-Commerce and e-Service, 2004. EEE '04. 2004 IEEE Internation

28-31 March 2004 Page(s):9 - 16

Digital Object Identifier 10.1109/EEE.2004.1287282

AbstractPlus | Full Text: PDF(512 KB) IEEE CNF

21. Assessing the Dependability of SOAP RPC-Based Web Services by Fault

Looker, N.; Jie Xu;

Object-Oriented Real-Time Dependable Systems, 2003. WORDS 2003 Fall. TI International Workshop on

01-03 Oct. 2003 Page(s):163 - 163

Digital Object Identifier 10.1109/WORDS.2003.1267504

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(152 KB) IEEE CNF

22. The gSOAP toolkit for Web services and peer-to-peer computing network van Engelen, R.A.; Gallivan, K.A.;

Cluster Computing and the Grid 2nd IEEE/ACM International Symposium CCC 21-24 May 2002 Page(s):117 - 124

Digital Object Identifier 10.1109/CCGRID.2002.1017120

AbstractPlus | Full Text: PDF(380 KB) | IEEE CNF

23. Circuit placement on arbitrarily shaped regions using the self-organizatic Sung-Soo Kim; Chong-Min Kyung;

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction Volume 11, Issue 7, July 1992 Page(s):844 - 854 Digital Object Identifier 10.1109/43.144848

AbstractPlus | Full Text: PDF(1012 KB) | IEEE JNL

24. Efficient SOAP processing in embedded systems

Janecek, J.;

Engineering of Computer-Based Systems, 2004. Proceedings. 11th IEEE Inter Conference and Workshop on the

24-27 May 2004 Page(s):128 - 134

Digital Object Identifier 10.1109/ECBS.2004.1316691

AbstractPlus | Full Text: PDF(413 KB) | IEEE CNF

25. Assessing the dependability of SOAP RPC-based Web services by fault i

Looker, N.; Jie Xu;

Object-Oriented Real-Time Dependable Systems, 2003. Proceedings. Ninth IE Workshop on

1-3 Oct. 2003 Page(s):163 - 170

Digital Object Identifier 10.1109/WORDS.2003.1267504

AbstractPlus | Full Text: PDF(273 KB) | IEEE CNF

View: 1-25 | 26-5

Help Contact Us Privacy &:

© Copyright 2005 IEEE -

Indexed by Inspec*



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((soap<in>metadata) <and> (firewall<in>metadata))<and> (http<in>..."

⊠e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, .25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((soap<in>metadata) <and> (firewall<in>metadata))<and> (http<in>metadata)

Check to search only within this results set

» Key

IEEE Journal or

Magazine

IEE JNL

IEEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

IEEE STD IEEE Standard

Display Format:

© Citation @ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Contact Us Privacy &

© Copyright 2005 IEEE -

Indexed by #Inspec

	Web	<u>Images</u>	Groups	<u>News</u>	Froogle	Local	more	- :-
Canade	HTTP SOAP firewall agent			Search Advanced Search Preferences				
QUUA:	•							,

Web

Results 1 - 10 of about 362,000 for HTTP SOAP firewall agent. (0.27 seconds)

Re: [wsdm] MUWS - 2.1.2 Message Exchange Patterns

It merely initiated http/https requests. Furthermore, the agent did not poll ... is that agents do not necessarily need to be have an http/Soap server to ... lists.oasis-open.org/archives/wsdm/200306/msg00042.html - 13k - Cached - Similar pages

SoapWare.Org: A Busy Developer's Guide to SOAP 1.1

Here's an example of a **SOAP** request: POST /examples **HTTP**/1.1 User-**Agent**: Radio ... **Firewalls**. No new power is provided beyond the capabilities of **HTTP**-POST. ... www.**soap**ware.org/bdg - 23k - <u>Cached</u> - <u>Similar pages</u>

URIs, Addressability, and the use of HTTP GET and POST

HTTP GET is safe; ie, **agents** do not incur obligations by following links. ...
For example, a malicious Web page publisher outside a **firewall** might put a URI ...
www.w3.org/2001/tag/doc/whenToUseGet.html - 36k - <u>Cached</u> - <u>Similar pages</u>

TAG Finding: URIs, Addressability, and the use of HTTP GET Dereferencing URIs is safe; ie agents do not incur obligations by ... Ongoing work on SOAP. The use of HTTP for typical safe remote operations is not ... www.w3.org/2001/tag/doc/get7 - 21k - Cached - Similar pages

Roboo Cell-Phone Search Engine: Anywhere Anytime at Finger Tip SOAP/XML Web Services/Applications by XML/SOAP/HTML/HTTP gateways, servers, agents, ... XML Web Services Security, SOAP Firewall, XML Firewall, SOAP/XML ... www.roboo.com/indexEng.htm - 21k - Cached - Similar pages

IBM WebSphere Developer Technical Journal: Firewall Port ...

RMI/IIOP or **SOAP** for WebSphere Application Server clients; File transfer from DMgr ... This indirect IOR points to the ORB Listener port in the Node **Agent** ... www.ibm.com/developerworks/websphere/ techjournal/0310_alcott/alcott.html - 56k - <u>Cached</u> - <u>Similar pages</u>

Unraveling the Mystery of SOAPAction

The **SOAP** 1.1 specification says this about the **HTTP** SOAPAction header; ... servers such as **firewalls** to appropriately filter **SOAP** request messages in **HTTP**. ... www.oreillynet.com/pub/wlg/2331 - 39k - Sep 27, 2005 - <u>Cached</u> - <u>Similar pages</u>

Windows Upnp Firewall Compromise!

User-Agent: Mozilla/4.0 (compatible; UPnP/1.0; Windows 9x) ... SOAP-ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"><SOAP-ENV:Body><SOAP-ENV: ... www.governmentsecurity.org/archive/t15070.html - 9k - Cached - Similar pages

[PPT] Netegrity Identity and Access Management

File Format: Microsoft Powerpoint 97 - <u>View as HTML</u> **SOAP.** SAML. Network. **Firewall.** Network. Appliance. **HTTP ... Firewall.** HTTP. SMTP.

FTP. JMS/MQ. **SOAP.** SAML. Proxy. WSM (1). TxMinder. XML **Agent.** Netegrity ...

www.ftponline.com/ea/magazine/ summer2004/online/slides/24c_chanliau.ppt - <u>Similar pages</u>

Object Computing, Inc. - Java News Brief - August 2001


Firewalls call filter **HTTP SOAP** traffic based on this. To block all **HTTP SOAP** traffic, **firewalls** can block all **HTTP** messages with a "Content-Type" header of ... www.ociweb.com/jnb/jnbAug2001.html - 35k - <u>Cached</u> - Similar pages

Goooooooogle >

Result Page:

1 2 3 4 5 6 7 8 9 10

Next



HTTP SOAP firewall agent Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - Hurricane Resources - About Google

©2005 Google